

Aquapac Pty Ltd

ABN 36 114 118 311

Water treatment & Specialty chemicals

MATERIAL SAFETY DATA SHEET

Product: Magnesium Hydroxide Suspension

Company Details

Supplier: Aquapac Pty Ltd
Address: PO Box 1860
Castle Hill NSW 1765
Telephone No.: 02 9826 0201
Facsimile No.: 02 9826 0208
Email: williamsay@optusnet.com.au

Emergency Telephone No.:
Business Hours: 02 9826 0201
After Hours: 000 Fire brigade or Police

IDENTIFICATION

U.N. Number: None allocated
Hazchem: None allocated
EPG: None allocated
Class: None allocated
Poisons Schedule: None allocated
Packaging Group: None allocated

NOT Classified as hazardous according to criteria of NOHSC
NOT Classified as Dangerous Goods according to ADG Code for transport by Road and Rail.

Ingredients

Chemical Entity	CAS No.	Proportion
Magnesium Hydroxide		30 - 60%
Polymer		< 10%
Water	7732-18-5	balance

Other Names

Magnesium Hydroxide slurry

Uses

Odour control, admixture additive, fertilizer industry, ph control for water and waste water use. Flame retardant.

Physical Description / Properties

Appearance:	Opaque, off white viscous liquid suspension		
Flash point:	N/A	Specific Gravity:	1.47
Boiling point (°C):	N/A	ph (neat)	12.2
Melting Point (°C):	N/A	Solubility in Water (g/L):	soluble
Volatiles:	40%		

Doc Title:	MSDS magnesium Hydroxide suspension	Doc ID:	QA1
Version:	2.2 CURRENT	Version Date:	20/6/08
Authorised by:	WS	Page:	1 of 5

Aquapac Pty Ltd

ABN 36 114 118 311

Water treatment & Specialty chemicals

Other Properties

Odour: characteristic
Stability: 3 months from manufacturing date (when stored as directed)

HEALTH HAZARD INFORMATION

Health Effects

Symptoms that may arise if the product is mishandled are:

Acute

Swallowed Ingestion may result in nausea.

Eye Irritating to eyes.

Skin Irritating to skin.

Inhaled Should not occur.

Chronic Effects

Repeated or prolonged skin contact may lead to irritant contact dermatitis.

As with any chemical - ingestion, inhalation, and prolonged or repeated skin contact should be avoided by good occupational work practice.

First Aid

Swallowed Rinse mouth thoroughly with water immediately. If swallowed promote vomiting by usual means. Seek immediate medical assistance.

Eye Immediately irrigate with copious quantities of water for at least 15 minutes. Eyelids to be held open. Seek immediate medical assistance.

Skin Immediately wash contaminated skin with plenty of water and then wash with soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice.

Inhalation Remove victim from exposure - avoid becoming a casualty. Seek medical advice.

Poison Information Centres in each State capital city can provide additional assistance.

Doc Title: MSDS magnesium Hydroxide suspension
Version: 2.2 CURRENT
Authorised by: WS

Doc ID: QA1
Version Date: 20/6/08
Page: 2 of 5

Aquapac Pty Ltd

ABN 36 114 118 311

Water treatment & Specialty chemicals

Advice to Doctor

Treat symptomatically.

PRECAUTIONS FOR USE

Exposure Standards (for atmospheric contaminants in the occupational environment)

No value assigned for this product by the NOHSC (Workcover). However, the exposure standard for the acid constituent is:

TWA		STEL	
ppm	mg/ m ³	ppm	mg/m ³

Engineering Controls

Maintain concentration below recommended exposure limit. Use in a well-ventilated area. Avoid generating and inhaling mists and aerosols. Keep containers closed when not in use. If risk of overexposure exists, wear SAA approved respirator to comply with Australian Standards, ensuring correct fit to obtain adequate protection.

Personal Protection

Eyes: The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate.

Skin: Rubber or PVC gloves, overalls or PVC suit, safety or rubber boots

Respiratory: If mist is generated the use of an organic vapour/particulate respirator is recommended.

Avoid contact with eyes and skin. Avoid prolonged or repeated exposure. Always wash hands before smoking, eating, drinking or using the toilet.

Flammability

Not combustible material.

SAFE HANDLING INFORMATION

Storage and Transport

Not classified as a Dangerous Good for the purposes of transport.

Use only plastic (PE, PP, PVC) or fibreglass containers/vessels – maybe corrosive to mild steel. Other tanks should be lined with caustic resistant materials. Pumps should also be lined with caustic resistant materials.

Spills

Clear area of all unprotected personnel. Wear protective equipment to prevent skin and eye contamination including breathing apparatus.

Contain do not allow spill material to enter the environment. Contain material using inert absorbent material eg vermiculite. Place into suitable labelled containers and hold for waste disposal. Wash area down with excess water once removed.

Disposal

Refer to State and Land Management Authority and relevant Environmental Protection Authority.

Fire / Explosion Hazards

Conditions to avoid:

Not combustible. However toxins may be released from burning of packaging materials if involved in a fire. Fire fighters are to wear self contained breathing apparatus and full protective clothing as a precaution.

Materials to avoid:

Acids.

Hazardous Decomposition Products:

N/A

Extinguishing Media:

Fire fighters should wear full protective clothing including self-contained breathing apparatus. In case of fire use water, foam, carbon dioxide, dry powder.

Hazards form Combustion:

Magnesium Hydroxide is a commonly used flame retardant and would normally be expected to suppress the heat of a surrounding fire.

Aquapac Pty Ltd

ABN 36 114 118 311

Water treatment & Specialty chemicals

OTHER INFORMATION

Toxicity

Toxicology:

No data

Risk/Safety Statements:

R36/37/38 May be Irritating to eyes, respiratory system and skin.

S26 In case of contact with eyes, rinse immediately with plenty of water and Seek medical advice.

S28 After contact with skin wash with plenty of soap and water.

Company Disclaimer

All information contained in this data sheet is as accurate and up-to-date as possible. Since Aquapac Pty Ltd cannot anticipate or control the conditions under which this information may be used, each user should review the information in the specific context of the intended application.

Aquapac Pty Ltd will not be responsible for damages of any nature resulting from the use or reliance upon the information. No expressed or implied warranties are given other than those implied mandatorily by Commonwealth, State or Territory legislation.